



RADIANT™ LED POST TOPS



Specifications and Features:

Radiant™ LED

- Conformal Coating LED light engine
- CCT: Amber, LPS (1800K), 2200K, 2700K, 3000K, 4000K, 5000K
- Static Colors Available - Contact Factory

Distribution

- Types I* II, III, IV, V (Type I available in 70w & higher only)
- Full Cutoff

Electrical

- Electronic Driver, 120-277V, 50/60Hz or 347/480V, 50/60Hz
- 0-10v Dimmable Driver
- Standard Surge Protection included (6kV line-line; 10k-V line-earth)

Controls (Optional)

- Button eye photo control (PC)

Housing

- Housing and arms are constructed of high quality aluminum. 3" slip fitter.

Finish

- Super durable polyester powder coat finish. Custom finishes available, including patinas and all RAL colors.

Listings & Ratings

- ETL listed to UL 1598 standard for wet location.
- LED is IP66 Rated

Warranty

- 5 year limited warranty

EPA: 1.5
 WEIGHT: 25 lbs

Order Information Example: REG2NL70W4KU5PCBK

REG2	NL					
Model	Globe/Lens	LED Module	Voltage	Distribution	Options	Finish (Standard Colors)
REG2=Regent 2	NL=No Secondary Lens	See Chart on Page 2	U=120-277V H=347/480V	1=Type I* 2=Type II 3=Type III 4=Type IV 5=Type V *70W & above only	N=None PC=Button Eye Photo Control	BK=Black BZ=Bronze DBZ=Dark Bronze WH=White GR=Green SM=Silver Metallic GY=Light Gray TBK=Textured Black CC=Custom Color (Consult Factory)



RADIANT™ LED POST TOPS



13" Radiant™



12" Radiant™



8" Radiant™

Lumen Output for Regent

CCT	LED Module	Input Watts	Type 2	Type 3	Type 4	Type 5	CCT	LED Module	Input Watts	Type 2	Type 3	Type 4	Type 5
5K	40W5K	40	4429	4437	4285	4526	3K	40W3K	40	4119	4126	3985	4209
	50W5K	50	5491	5493	5286	5539		50W3K	50	5106	5109	4916	5152
	60W5K	60	6100	5989	5878	6265		60W3K	60	5673	5570	5466	5826
	70W5K	70	6318	6451	6335	6710		70W3K	70	5876	6000	5892	6241
	80W5K	80	7221	7372	7240	7669		80W3K	80	6715	6856	6733	7132
	90W5K	90	8123	8294	8145	8628		90W3K	90	7555	7713	7575	8024
	105W5K	105	9423	9621	9448	10008		105W3K	105	8763	8947	8787	9308
	120W5K	120	10804	11031	10833	11475		120W3K	120	10048	10258	10074	10672
135W5K	135	12185	12441	12217	12942	135W3K	135	11332	11570	11362	12036		
4K	40W5K	40	4274	4282	4135	4367	27K	40W27K	40	4037	4044	3905	4125
	50W4K	50	5298	5301	5101	5345		50W27K	50	5004	5006	4818	5049
	60W4K	60	5887	5779	5672	6046		60W27K	60	5560	5458	5357	5710
	70W4K	70	6097	6225	6113	6475		70W27K	70	5758	5880	5774	6116
	80W4K	80	6968	7114	6986	7400		80W27K	80	6581	6719	6598	6990
	90W4K	90	7839	8003	7860	8326		90W27K	90	7403	7559	7423	7863
	105W4K	105	9093	9284	9117	9658		105W27K	105	8588	8768	8611	9122
	120W4K	120	10426	10645	10454	11073		120W27K	120	9847	10053	9873	10458
135W4K	135	11758	12005	11790	12489	135W27K	135	11105	11338	11135	11795		

Contact the factory for Amber, LPS and 2200K lumen output



RADIANT™ LED POST TOPS

