



**BOLLARD LIGHTING**



Standard Boca44



Boca44 with optional  
5 Rings

**Specifications and Features:**

**Radiant™ LED**

- Conformal Coating LED light engine
- CCT: Amber, LPS (1800K), 2200K, 2700K, 3000K, 4000K, 5000K
- Static Colors Available - Contact Factory

**Optical**

- Type II, III, IV, V

**Electrical**

- Electronic Driver, 120-277V, 50/60Hz or 347/480V, 50/60Hz
- 0-10v Dimmable Driver
- Standard Surge Protection included (6kV line-line; 10k-V line-earth)

**Controls (Optional)**

- Button Eye Photo Control (PC)

**Housing**

- Cast aluminum housing
- Mounted to 8" aluminum extruded body

**Finish**

- Super durable polyester powder coat finish.
- Custom finishes available, including patinas and all RAL colors

**Listing & Ratings**

- ETL listed to UL 1598 standard for wet location
- LED is IP66 Rated

**Warranty**

- 5 year limited warranty

**Order Information Example:**

**BOCA44FA20W4KU55RBK**

<b>BOCA44</b>						
Model	Globe/Lens	LED Module	Voltage	Distribution	Options	Finish (Standard Colors)
BOCA44=Boca Bollard	FA=Frosted Acrylic CA=Clear Acrylic	See Chart on Page 2	U=120-277V H=347/480V	2=Type II 3=Type III 4=Type IV 5=Type V	N=None PC=Button Eye Photo Control SR=5 Rings USB=Dual USB Port* GFIC=GFI in-use cover, cast aluminum* GFIP=GFI in-use cover, plastic*  *Indicate location	BK=Black BZ=Bronze DBZ=Dark Bronze WH=White GR=Green SM=Silver Metallic GY=Light Gray TBK=Textured Black CC=Custom Color (Consult Factory)



**BOLLARD LIGHTING**




NO LENS						CLEAR LENS						FROSTED LENS					
		Type II	Type III	Type IV	Type V			Type II	Type III	Type IV	Type V			Type II	Type III	Type IV	Type V
5K	10W5K	1036	1055	1044	1102	5K	10W5K	994	1013	1003	1058	5K	10W5K	891	907	898	948
	15W5K	1514	1542	1527	1610		15W5K	1453	1480	1466	1546		15W5K	1302	1326	1313	1385
	20W5K	1992	2028	2009	2119		20W5K	1912	1947	1928	2034		20W5K	1713	1744	1727	1822
	30W5K	2988	3043	3013	3393		30W5K	2869	2921	2892	3257		30W5K	2570	2617	2591	2918
	40W5K	3984	4057	4017	4238		40W5K	3825	3894	3857	4068		40W5K	3426	3489	3455	3645
	50W5K	5020	5111	5062	5340		50W5K	4819	4907	4859	5126		50W5K	4317	4396	4353	4592
4K	10W4K	987	1005	995	1049	4K	10W4K	947	964	955	1007	4K	10W4K	848	864	855	902
	15W4K	1442	1468	1454	1534		15W4K	1384	1409	1396	1472		15W4K	1240	1263	1250	1319
	20W4K	1897	1932	1913	2018		20W4K	1821	1854	1836	1937		20W4K	1632	1661	1645	1735
	30W4K	2846	2898	2870	3231		30W4K	2732	2782	2755	3102		30W4K	2447	2492	2468	2779
	40W4K	3795	3864	3826	4036		40W4K	3643	3709	3673	3875		40W4K	3263	3323	3290	3471
	50W4K	4781	4868	4821	5085		50W4K	4590	4673	4628	4882		50W4K	4112	4186	4146	4373
3K	10W3K	947	964	955	1007	3K	10W3K	909	926	917	967	3K	10W3K	815	829	821	866
	15W3K	1384	1409	1396	1472		15W3K	1329	1353	1340	1413		15W3K	1190	1212	1200	1266
	20W3K	1821	1854	1836	1937		20W3K	1749	1780	1763	1860		20W3K	1566	1595	1579	1666
	30W3K	2732	2782	2755	3102		30W3K	2623	2670	2645	2978		30W3K	2350	2392	2369	2668
	40W3K	3643	3709	3673	3875		40W3K	3497	3561	3526	3720		40W3K	3133	3190	3159	3332
	50W3K	4590	4673	4628	4882		50W3K	4406	4486	4443	4687		50W3K	3947	4019	3980	4198
27K	10W27K	927	944	935	986	27K	10W27K	890	906	898	947	27K	10W27K	798	812	804	848
	15W27K	1355	1380	1367	1442		15W27K	1301	1325	1312	1384		15W27K	1166	1187	1175	1240
	20W27K	1783	1816	1798	1897		20W27K	1712	1743	1726	1821		20W27K	1534	1562	1546	1631
	30W27K	2675	2724	2697	3037		30W27K	2568	2615	2589	2916		30W27K	2301	2342	2320	2612
	40W27K	3567	3632	3596	3794		40W27K	3424	3486	3453	3642		40W27K	3067	3123	3093	3263
	50W27K	4494	4576	4532	4780		50W27K	4314	4393	4350	4589		50W27K	3865	3935	3897	4111



## BOLLARD LIGHTING



Boca44 w/o Rings



Boca44 with optional 5 Rings

